	Туре	Ref #	Hits	Search Text	DBs
1	BRS	S1	2271	429//13	US-PGPUB; USPAT; USOCR
2	BRS	S2	14	S1 and (catalyst\$2 same coat\$3) and ink and substrate and ionomer and water and catalyst\$2 and dry\$3	US-PGPUB; USPAT; USOCR
3	BRS	S3	0	S1 and (catalyst\$2 same coat\$3) and ink and substrate and ionomer and water and catalyst\$2 and dry\$3 and solvent and surfactant and (membrane or film or (carbon near cloth) or paper) and roll	US-PGPUB; USPAT; USOCR
4	BRS	S 4	0	S1 and (catalyst\$2 same coat\$3) and ink and substrate and ionomer and water and catalyst\$2 and dry\$3 and solvent and surfactant and (membrane or film or (carbon near cloth) or paper)	US-PGPUB; USPAT; USOCR
5	BRS	S5	11	_	US-PGPUB; USPAT; USOCR
6	BRS	S 6	0	S1 and (catalyst\$2 same coat\$3) and ink and substrate and ionomer and water and catalyst\$2 and dry\$3 and solvent and (membrane or film or (carbon near cloth) or paper) and surfactant	US-PGPUB; USPAT; USOCR
7	BRS	s7	1248	429//27	US-PGPUB; USPAT; USOCR

	Туре	Ref #	Hits	Search Text	DBs
8	BRS	S8	1	1	US-PGPUB; USPAT; USOCR
9	BRS	S9	1470	429//40	US-PGPUB; USPAT; USOCR
10	BRS	S10	4	dry\$3 and solvent and (membrane or film or (carbon near cloth) or paper) and surfactant	US-PGPUB; USPAT; USOCR
11	BRS	S11	70	(catalyst\$2 same coat\$3) and ink and substrate and ionomer and water and catalyst\$2 and dry\$3 and solvent and (membrane or film or (carbon near cloth) or paper) and surfactant	US-PGPUB; USPAT; USOCR
12	BRS	S12	57	1 2	US-PGPUB; USPAT; USOCR
13	BRS	S13	5	(catalyst\$2 same coat\$3) and ink and substrate and ionomer and water and catalyst\$2 and dry\$3 and solvent and (membrane or film or (carbon near cloth) or paper) and surfactant and roll and leveling	US-PGPUB; USPAT; USOCR

	Type	Ref #	Hits	Search Text	DBs
14	BRS	S14	12		US-PGPUB; USPAT; USOCR
15	BRS	S15	13	ionomer and water and catalyst\$2 and dry\$3 and	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT
16	BRS	S16	89	ionomer and water and	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT
17	BRS	S17	1	(catalyst\$2 same coat\$3) and ink and substrate and ionomer and water and catalyst\$2 and dry\$3 and solvent and (roll near coat\$3) and leveling and humidity	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT
18	BRS	S18	6	ionomer and water and catalyst\$2 and dry\$3 and	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT
19	BRS	S19	623	(catalyst\$2 same coat\$3) and (roll near coat\$3) and leveling	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT
20	BRS	S20	8	<pre>(catalyst\$2 same coat\$3) and (roll near coat\$3) and (leveling near catalyst\$2)</pre>	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT
21	BRS	S21	6	(catalyst\$2 same coat\$3) and roll and (level same compartment) and (coat\$3 same compartment)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT

	Туре	Ref	Hits	Search Text	DBs
		#			
22	BRS	S22	15 .		US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT
23	BRS	S23	25	ionomer and water and	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT
24	BRS	S24	13	dry\$3 and solvent and (continuous same roll) and	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT
25	BRS	S25	0	"6500217.pn"	USPAT
26	BRS	S26	1	"6500217".pn.	USPAT
27	BRS	S27	1	"20020034674"	US-PGPUB
28	BRS	S28	1	"6500217".pn.	USPAT
29	BRS	S29	1	S28 and coat\$3 and catalyst\$2 and ink\$2 and dry\$3	USPAT
30	BRS	s30	1	S28 and coat\$3 and catalyst\$2 and ink\$2 and dry\$3 and humidity	USPAT
31	BRS	S31	1	S28 and coat\$3 and catalyst\$2 and ink\$2 and dry\$3 and humidity and temperature	USPAT
32	BRS	S32	1	"20020034674"	US-PGPUB
33	BRS	s33	0	temperature	USPAT
34	BRS	S34	0	S28 and moisture and temperature	USPAT
35	BRS	s35	31	(catalyst near coat\$3) and membrane and (control\$3 same temperature same humidity)	USPAT

	Туре	Ref #	Hits	Search Text	DBs
36	BRS	S36	27	(catalyst near coat\$3) and membrane and (control\$3 same temperature same humidity) and (fuel adj cell\$2)	USPAT
37	BRS	s37	18	((catalyst near coat\$3) same membrane) and (control\$3 same temperature same humidity) and (fuel adj cell\$2)	USPAT
38	BRS	S38	27 ·	(catalyst near coat\$3) and (membrane or (carbon near cloth) or paper or felt) and (control\$3 same temperature same humidity) and (fuel adj cell\$2)	USPAT
39	BRS	S39	51	cloth) or paper or felt)	US-PGPUB; USPAT; USOCR; EPO; JPO;
40	BRS	S40	0	S32 and humidity and temperature	USPAT
41	BRS	S41	0	S32 and temperature	USPAT
42	BRS	S42	0	S32 and coat\$3 and catalyst\$2 and ink\$2 and dry\$3 and humidity and temperature	US-PGPUB
43	BRS	S43	0	S32 and humidity and temperature	US-PGPUB
44	BRS	S44	1	S32 and temperature	US-PGPUB
45	BRS	S45	0	S32 and temperature and moisture	US-PGPUB
46	BRS	S46	1	S32 and temperature and humid\$7	US-PGPUB
47	BRS	S47	1	S28 and humid\$8	USPAT
48	BRS	S48	0	S28 and humid\$8 and moisture	USPAT
49	BRS	S49	1	S28 and humid\$8	USPAT

	Туре	Ref	Hits	Search Text	DBs
50	BRS	S50	1	"6613106".pn.	USPAT
51	BRS	S51	0	S50 and humid\$8	USPAT
52	BRS	S52	1	"6689501".pn.	USPAT
53	BRS	S53	0	S52 and humid\$8	USPAT
54	BRS	S54	3000	<pre>((catalyst\$2 same coat\$3) same level\$3)</pre>	US-PGPUB; USPAT
55	BRS	S55	9	((catalyst\$2 same coat\$3 same ink\$2) same level\$3) and (temperature same humidity)	US-PGPUB; USPAT
56	BRS	S56	154	<pre>(catalyst\$2 same coat\$3 same ink\$2) and (temperature same humidity)</pre>	US-PGPUB; USPAT
57	BRS	S57	244	(catalyst\$2 same coat\$3 same ink\$2) and temperature\$2 and humidity and humidi\$5	US-PGPUB; USPAT
58	BRS	S58	68	(catalyst\$2 same coat\$3 same ink\$2) and temperature\$2 and humidity and humidi\$5 and (coat\$3 same temperature same humidity)	US-PGPUB; USPAT
59	BRS	S59	1	"20020034674"	US-PGPUB
60	BRS	s60	1	S59 and temperature and (moisture or humid\$6) and ink\$2	US-PGPUB
61	BRS	S61	1	"6500217".pn.	USPAT
62	BRS	S62	0	S61 and temperature and (moisture or humid\$6) and ink\$2	US-PGPUB
63	BRS	S63	1	S61 and temperature and (moisture or humid\$6) and ink\$2	USPAT
64	BRS	S64	52	<pre>(catalyst\$2 same coat\$3) same (temperature same humidity same control\$3)</pre>	US-PGPUB; USPAT
65	BRS	S65	156	<pre>(catalyst\$2 same coat\$3) same (temperature same humidity same control\$3)</pre>	USOCR; EPO; JPO; DERWENT

	Туре	Ref #	Hits	Search Text	DBs
66	BRS	S66	4	(catalyst\$2 same coat\$3) same (temperature same humidity same control\$3) and membrane\$2	USOCR; EPO; JPO; DERWENT
67	BRS	S67	16	<pre>(catalyst\$2 same coat\$3) same (temperature same humid\$6) and membrane\$2</pre>	USOCR; EPO; JPO; DERWENT
68	BRS	S68	18	(catalyst\$2 same coat\$3) . same (temperature and humid\$6) and membrane\$2	USOCR; EPO; JPO; DERWENT
69	BRS	S69	74	(catalyst\$2 same coat\$3) same (temperature and humid\$6) and membrane\$2	US-PGPUB; USPAT
70	BRS	s70	1616	(catalyst\$2 same (spray\$3 or coat\$3 or brush\$3)) and ((control\$3 or maintain\$3) same humid\$8)	USPAT
71	BRS	S71	165	<pre>(catalyst\$2 same (spray\$3 or coat\$3 or brush\$3) same (control\$3 or maintain\$3) same humid\$8)</pre>	US-PGPUB; USPAT
72	BRS	S72	549	<pre>(catalyst\$2 same (spray\$3 or coat\$3 or brush\$3) same (control\$3 or maintain\$3) same humid\$8)</pre>	USOCR; EPO; JPO; DERWENT
73	BRS	s73	10	(catalyst\$2 same (spray\$3 or coat\$3 or brush\$3) same (control\$3 or maintain\$3) same humid\$8) and (fuel adj cell\$2)	USOCR; EPO; JPO; DERWENT
74	BRS	S74	1	"6124226".pn.	USOCR; EPO; JPO; DERWENT
75	BRS	S75	1	"6124226".pn.	USPAT
76			1	\$75 and (catalyst\$2 same (spray\$3 or coat\$3 or	US-PGPUB; USPAT

	Туре	Ref #	Hits	Search Text	DBs
77	BRS	s77	1	or maintain\$3) same humid\$8) and temperature and catalyst\$2	US-PGPUB; USPAT
78	BRS	S78	1449	<pre>(catalyst\$2 same coat\$3) and (coating near temperature\$2)</pre>	US-PGPUB; USPAT
79	BRS	S79	25	(catalyst\$2 same coat\$3) and (coating near temperature\$2) and (fuel adj cell\$2)	US-PGPUB; USPAT
80	BRS	S80	1	"20020034674"	US-PGPUB
81	BRS	S81	1	S80 and ink and temperature\$2 and (moisture or humid\$8)	US-PGPUB
82	BRS	S82	1	S80 and ink and water and catalyst\$2 and ionomer	US-PGPUB
83	BRS	S83	1	"6500217".pn.	USPAT
84	BRS	S84	0	S83 and ink and water and catalyst\$2 and ionomer	US-PGPUB
85	BRS	S85	0	S83 and ink and water and catalyst\$2	US-PGPUB
86	BRS	S86	0	S83 and ink and water	US-PGPUB
87	BRS	S87	1	S83 and ink and water and catalyst\$2 and ionomer	USPAT
88	BRS	S88	0	S83 and surfactant	USPAT
89	BRS	S89	136	(glycerol near surfactant)	USPAT
90	BRS	S90	1	S83 and dry\$3	USPAT
91	BRS	S91	634	(catalyst same coat\$3 same membrane) and humid\$7	US-PGPUB; USPAT
92	BRS	S92	2119	(catalyst same coat\$3 same (membrane\$2 or substrate\$2)) and humid\$7	US-PGPUB; USPAT

	Туре	Ref #	Hits	Search Text	DBs	
93	BRS [°]	S93	399	((catalyst\$2 near coat\$3) same (membrane\$2 or substrate\$2)) and humid\$7	US-PGPUB;	USPAT
94	BRS	S94	11	<pre>((catalyst\$2 near coat\$3) same (membrane\$2 or substrate\$2)) and ((chamber or compartment) same humid\$7 same control)</pre>	US-PGPUB;	USPAT
95	BRS	S95	2	((catalyst\$2 same coat\$3) same (membrane\$2 or substrate\$2) same ink\$3) and ((chamber or compartment) same humid\$7 same control)	US-PGPUB;	USPAT
96	BRS	S96	0	((catalyst\$2 near coat\$3) same (membrane\$2 or substrate\$2) same ink\$3) and ((chamber or compartment) same humid\$7 same control)	US-PGPUB;	USPAT
97	BRS	S97	7	((catalyst\$2 near coat\$3) same (membrane\$2 or substrate\$2) same ink\$3) and ((chamber or compartment) same humid\$7)	US-PGPUB;	USPAT
98	BRS	S98	15	<pre>(catalyst\$2 same coat\$3 same (membrane\$2 or substrate\$2) same ink\$3) and ((chamber or compartment) same humid\$7)</pre>	US-PGPUB;	USPAT
99	BRS	S99	4	and (environment\$4 near chamber)	US-PGPUB;	USPAT
100	BRS	S100	16	(catalyst\$2 same coat\$3 same membrane\$2) and (environment\$4 near chamber)	US-PGPUB;	USPAT

	Туре	Ref #	Hits	Search Text	DBs
101	BRS	S101	0	·	USOCR; EPO; JPO; DERWENT
102	BRS	s102		(catalyst\$2 same coat\$3 same membrane\$2 same humid\$7)	USOCR; EPO; JPO; DERWENT
103	BRS	S103	23	(catalyst\$2 same coat\$3 same membrane\$2) and (humidity same temperature)	USOCR; EPO; JPO; DERWENT
104	BRS	S104	309	• •	US-PGPUB; USPAT; USOCR
105	BRS	S105	189	l(hiimidity cama	US-PGPUB; USPAT; USOCR
106	BRS	S106	1	"6500217".pn.	USPAT
107	BRS	s107	1	10/627238	US-PGPUB
108	BRS	S108	0	S107 and blade and level\$3	US-PGPUB
109	BRS	s109	1	S107 and level\$3	US-PGPUB
110	BRS	S110	1	S107 and dry\$3	US-PGPUB
111	BRS	S111	0	S106 and dry\$3	US-PGPUB
112	BRS	S112	1	S106 and dry\$3	USPAT
113	BRS	s113	1	S106 and ink	USPAT
114	BRS	S114	0	S106 and dry\$3 and minute\$2	USPAT
115	BRS	S115	1	S106 and dry\$3 and time	USPAT